PRINTED: 07/15/2015 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION  A. BUILDING:		(X3) DATE SURVEY COMPLETED	
			71. BOILBING			
		012309	B. WING		07/13/2015	
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE						
CROWNPOINTE OF CARMEL 11610 TECHNOLOGY DR CARMEL, IN 46032						
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	(EACH CORRECTIVE ACTION SHOU	PROVIDER'S PLAN OF CORRECTION ACH CORRECTIVE ACTION SHOULD BE DSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)  (X5) COMPLETE DATE	
R 000	INITIAL COMMENTS		R 000			
	This survey was for a Survey.	State Residential Licensure				
	Survey dates: July 13, 2015					
	Facility number: 0123 Provider number: 012 AIM number: N/A					
	Cenus bed type: Residential: 29 Total: 29					
	Sample: 7					
	Crownpointe of Carm compliance with 410   State Residential Lice	IAC 16.2-5 in regard to the				

Indiana State Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

(X6) DATE TITLE